

RZ


Operation

V1.0



EN

Basic Functions




Basic Functions

Button Functionality

	 Start Recording  End Recording	 Slide Down  Slide Up
	 2s Power On / Off  Select Item (In Menu)  Mark Important (Recording)  Resets the R2	 Click  Double Click
	 Send SOS  Action Mode (Streaming)	 Hold for 2s  Hold for 10s
 	 Open and Navigate Menu  Stealth Mode	
	 Select / Interact (Touch Screen)	 Tap/Swipe

The R2 features a 2" capacitive touchscreen.
Tap to select, swipe to navigate.

Notifications




LED light

Operation	
	Powered on
	Recording
	Pre-Recording
	Trigger Mode
	Connecting
	Connected
Charging	
	Charging
	Fully charged

DEMS 360	
	Uploading
	Deleting files
Not booked out:	
	Charging
	Charged
Booked out:	
	Charging
	Charged
	Updating Firmware

Menu Navigation



Screen Data


	Wi-Fi Signal Strength
	Bluetooth Disabled / Enabled
	Video Streaming Enabled, Inactive / Active
	Multi-GNSS GPS Position Fix
	Cellular Signal*
	No SIM Card*
	SIM Card present, LTE inactive*
	Face Detector Inactive / Active
	Fall Detector Inactive / Active
	Battery Charge
	Current Time / Date

Button Functionality

	Open / Navigate Menu
	Open / Navigate Menu
	Select Menu Item
	Connection Menu
	DEMS Sync
	Streaming
	QR Code Scanning Mode
	LTE Connection*
	Wi-Fi
	WPS Connection
	Settings Menu
	Stealth Mode
	Audio Mute
	Face Match
	Audio Only
	Resolution
	Play
	Rewind
	Fast Forward
	Still Image
	Back / Exit

*R2 5G Only

Camera Head Articulation



The R2 camera head is able to rotate 301° horizontally and 173° vertically allowing the camera to be worn in various places on people of all shapes and sizes, or head mounted on a helmet or cap.

DO NOT OVER ROTATE!

The R2 camera head does not rotate 360° and attempting to do so will cause damage.

SIM Card Insertion (R2 5G only)

The R2 5G requires a Nano SIM card for cellular connectivity.

SIM card insertion requires removal of the camera backshell. Please refer to the instructional video at:

www.revealmedia.co.uk/product-documentation



Battery Safety and Storage

Battery safety

Reveal's body cameras use lithium-Ion batteries which are common in most portable devices such as radios and mobile phones. Reveal's cameras are safety tested with the appropriate certification.

Damage to a lithium-ion battery can cause excessive heat build-up often associated by an audible "hissing" sound, smoke and, in extreme cases, combustion. The R2 casing provides a significant degree of battery protection, however, if the case becomes punctured or crushed by excessive forces, then there is a risk of battery damage. Therefore, we recommend that the user of cameras performs a risk assessment as to the role of the wearer and likelihood of excessive trauma to the camera.

If a camera becomes excessively hot or emits any unusual sounds or smoke then:

- Immediately detach the camera and place in a safe area.
- Do not charge the camera.
- Contact Reveal Support.

Storage

Store in a dry place, away from direct sunlight and sources of heat, at a temperature between -15°C and 45°C (5°F to 113°F).

Lithium-ion battery discharge naturally over extended periods of time and if not charged for prolonged periods of time, may deteriorate resulting in reduced performance and failure.

If your R2 camera is kept in long-term storage it should be charged to at least 50% of full charge every six months. Your warranty may be invalidated if you fail to recharge your battery regularly or to follow other instructions for the storage, installation, commissioning, use or maintenance of the camera.